

TUSKBOND

Roofing Solutions



ROOFING SOLUTIONS

TUSKBOND - UK PRODUCED AND UK FILLED SYSTEM

WWW.TUSKBOND.UK




Tuskbond Roofing Products
Shelley Close
Lowmoor Business Park
Kirkby in Ashfield
Nottinghamshire
NG17 7JZ

Tuskbond offer a complete range of high performance roofing adhesives and accessories for professional use, available in a range of sizes and colours. Tuskbond is fast, accurate and portable, ready for use in a range of roofing applications.

WWW.TUSKBOND.UK





Contents

Roofing Canisters	4
Roofing 5L Bergs	6
Product Selector	8
Professional Accessories	10
Cleaning Kit	11



TUSKBOND EPDM PRIMER



Tuskbond EPDM Primer is a quick and easy solution designed to increase the adhesion potential of EPDM and other roofing membranes. Offering a fast and easy alternative to standard roll on primers, Tuskbond EPDM primer will increase the speed, quality and precision. The primer is quick drying, ready to work on within minutes. Tuskbond EPDM Primer works with any standard reusable canister gun and hose system, creating a more efficient system.

Features:

- 250m² Coverage*
- Free From Chlorinated Solvents
- Fast and Easy Application
- Quick Drying
- Low Odour
- Uniform Spray Pattern

Substrates:

- Concrete, Wood, Metal

*Based of a 10g/m² dry coat weight

TUSKBOND FOAMING INSULATION



Tuskbond Foaming Insulation Adhesive is a one part, sprayable, foaming polyurethane adhesive, designed to bond a wide range of insulation materials. Tuskbond Foaming Insulation Adhesive is designed to quickly and precisely deliver a bead of polyurethane foam. This drastically reduces the time taken to install insulation, typically halving the cure time taken from traditional poured single component polyurethane products.

Features:

- 350m² Coverage*
- Fast, Easy and Precise Application
- Foaming Adhesive
- Suitable For Bonding Uneven Surfaces
- Low Cure Time
- Reduced Waste
- Requires Braided Hose (See page 10)

Substrates:

- Concrete, Wood, Metal, Bitumen, Aluminium Face Insulation, Glass Fibre Coated Insulation, EPS, Mineral Wool Insulation

*Based on 20 – 40mm beads

TUSKBOND

EPDM CONTACT
ADHESIVE



Tuskbond EPDM Roofing Contact Adhesive has been specially designed for the bonding of EPDM membrane to a variety of surfaces. The sprayable nature of the product offers a quick and clean alternative to traditional 'pour on and roll out' contact adhesives, completely eliminating wasted adhesive. The adhesive provides good coverage, ready to bond within minutes, whilst retaining a long open time.

Features:

- 130m² Coverage*
- Fast and Easy Application
- More Efficient Than Traditional Bucket Products
- Instant, Strong Bond
- Ready to Bond Within Minutes
- Low Odour

Substrates:

- Concrete, Wood, Metal, Aluminium Face Insulation, Glass Fibre Coated Insulation, Mineral Wool Insulation, EPDM, TPO

Certificates:

- Tested to BS476 Part 6- Pass/ Part 7- Class 1
- Building Regulations: Class 0
- SAFT Heat Tested 100°C

*Based on 25g per m² dry coat weight

TUSKBOND

EPDM NC CONTACT
ADHESIVE



Tuskbond EPDM NC Contact Adhesive is a sprayable contact adhesive specifically designed for the bonding of EPDM to a variety of substrates. Free from all chlorinated solvents, EPDM NC Contact Adhesive offers a safer and cleaner alternative to traditional 'pour out and roll on' contact adhesives. The adhesive is fast and easy to apply with a quick drying time.

Features:

- 115m² Coverage*
- Free From Chlorinated Solvents (NC)
- Instant, Strong Bond
- Reduces Time and Waste
- Ready to Bond Within Minutes
- Fast and Easy Application

Substrates:

- Concrete, Wood, Metal, Aluminium Face Insulation, Glass Fibre Coated Insulation, Mineral Wool Insulation, EPDM, TPO

*Based on 25g/m² dry coat weight.

TUSKBOND III BITUMEN ROOFING PRIMER



Tuskbond Bitumen Roofing Primer is a solvent based, cold applied, bituminous primer. The primer is designed to seal roofing decks and maximise adhesion potential, prior to application of membranes or vapour control layers. Tuskbond Bitumen Roofing Primer is quick and easy to use by using a brush or roller, covering the surface quickly.

Features:

- Seals Roofing Decks Against Moisture
- Increases Adhesion for Roofing Membranes
- Covers up to 12m² Per Litre*

Substrates:

- Concrete, Wood, Metal, Bitumen

*Dependant on porosity of surface

TUSKBOND III PU MEMBRANE ADHESIVE



Tuskbond PU Membrane Adhesive is a one-part, polyurethane adhesive specifically designed for bonding roofing membranes such as carrier, waterproofing, bituminous and fleece backed, to a variety of roof decks and insulation materials. Tuskbond PU Membrane Adhesive is designed to give a strong, permanent, water and chemical-resistant bond that can withstand both high and low temperatures, whilst also being non-flammable, VOC and odour-free.

Features:

- Non-Flammable
- No Release of Volatile Solvents to the Atmosphere
- Damp Surface Friendly
- Cold Applied
- Strong, Permanent Bond
- Easy Application

Substrates:

- Concrete, Wood, Metal, Aluminium Face Insulation, Glass Fibre Coated Insulation, EPS, Mineral Wool Insulation, EPDM, TPO, Bitumen

TUSKBOND

/// CONTACT ADHESIVE



Tuskbond EPDM Contact Adhesive is a pourable, solvent based contact adhesive designed to bond EPDM and other roofing membranes to a variety of surfaces. Forming an instant, high strength bond, the adhesive can be used for both the up-rise and field areas of a roof.

Features:

- Instant, Strong Bond
- Long Open Time
- 70m² Coverage*

Substrates:

- Concrete, Wood, Metal, Aluminium Face Insulation, Glass Fibre Coated Insulation, Mineral Wool Insulation, EPDM, TPO

*Based on 25g/m² dry coat weight

TUSKBOND

/// NC CONTACT ADHESIVE



Tuskbond EPDM Contact Adhesive NC is a pourable, solvent based contact adhesive, free from chlorinated solvents and designed to bond EPDM and other roofing membranes to a variety of surfaces. Forming an instant, high strength bond, the adhesive can be used for both the up-rise and field areas of a roof.

Features:

- Free From Chlorinated Solvents (NC)
- Instant, Strong Bond
- High Solids Formulation
- 55m² Coverage*

Substrates:

- Concrete, Wood, Metal, Aluminium Face Insulation, Glass Fibre Coated Insulation, Mineral Wool Insulation, EPDM, TPO

* Based on 25g/m² dry coat weight

Roofing Product Selector

|| EPDM PRIMER

|| FOAMING
INSULATION

|| EPDM CONTACT
ADHESIVE

|| EPDM NC CONTACT
ADHESIVE

|| BITUMEN
PRIMER

|| PU MEMBRANE
ADHESIVE

|| CONTACT
ADHESIVE

|| NC CONTACT
ADHESIVE



Roof Surface

	CONCRETE	WOOD	METAL	BITUMEN
EPDM PRIMER	✓	✓	✓	
FOAMING INSULATION	✓	✓	✓	✓
EPDM CONTACT ADHESIVE	✓	✓	✓	
EPDM NC CONTACT ADHESIVE	✓	✓	✓	
BITUMEN PRIMER	✓	✓	✓	✓
PU MEMBRANE ADHESIVE	✓	✓	✓	✓
CONTACT ADHESIVE	✓	✓	✓	
NC CONTACT ADHESIVE	✓	✓	✓	

Insulation

ALUMINIUM FACED	GLASS FIBRE COATED	EPS	MINERAL WOOL
✓	✓	✓	✓
✓	✓		✓
✓	✓		✓
✓	✓		✓
✓	✓	✓	✓
✓	✓		✓
✓	✓		✓
✓	✓		✓

Membranes

EPDM	TPO	PVC	BITUMEN
✓	✓		
✓	✓		
✓	✓		
✓	✓		
✓	✓		✓
✓	✓		
✓	✓		

TUSKBOND /// FOAMING PU APPLICATOR



- Designed to Apply Accurate Beads of Adhesive
- 47cm Extension Removes Need to Bend Down
- Strong, Durable Construction

TUSKBOND /// SPRAY GUN WITH EXTENSION WAND



- Accurate and Ergonomic Application
- 47cm Wand Extension
- Includes 9501 Spray Tip

TUSKBOND /// PREMIUM SPRAY GUN



- Strong Aluminium Alloy Body
- Includes 9501 Spray Tip
- Accommodates all Interchangeable Unijet Spray Tips

TUSKBOND /// ECONOMY SPRAY GUN



- Durable Light Weight Construction
- Includes 9501 Spray Tip
- Accommodates all Interchangeable Unijet Spray Tips

TUSKBOND /// BRAIDED HOSE



- Required for Use With Sprayable PU
- Moisture Resistant, PTFE lined
- Durable

TUSKBOND /// HOSE 12FT, 18FT & 24FT



- Flexible Hose Minimising Interference and Tangling
- Lightweight Durable Nylon Core with Synthetic Rubber Coating
- Fits Easily and Securely to Any Tuskbond Canister and Application Gun



TUSKBOND ||| CANISTER CLEANING KIT

The Canister Cleaning Kit is specially designed to simplify the process of cleaning out products from canister hoses and guns after use to prevent blockage occurring in the hose. The assembly is easy to apply and use.

TUSKBOND ||| GC22



Gun Cleaner

Tuskbond GC22 is a blend of organic solvents designed to quickly remove uncured adhesive from canister hoses and guns.

- Fast Removal of Uncured Adhesive
- For use on Both Guns and Hoses
- Prolongs Life on Both Guns and Hoses

TUSKBOND ||| SC12



Solvent Cleaner

Tuskbond SC12 is a blend of organic solvents designed to quickly remove adhesive overspray, oil and grease deposits from most surfaces.

- Removes Oil, Grease and Grime
- Removes Adhesive Overspray
- Suitable for use with a Wide Range of Substrates

TUSKBOND

Roofing Solutions



Tuskbond Roofing Products
Shelley Close
Lowmoor Business Park
Kirkby in Ashfield
Nottinghamshire
NG17 7JZ

WWW.TUSKBOND.UK