

ECT SA 3040 PVC Pipe Cement Cleaner Technical Data Sheet

Pipe Cement Cleaner is specifically designed for cleaning and degreasing ABS and uPVC plastics, especially in advance of welding. Suitable for applications involving uPVC gutters, electrical conduit and water pipes, plus many other products using uPVC and ABS. It is also suitable for removing uncured PVC pipe Cement. It may be used for degreasing PP (Polypropylene), HDPE (High Density Polyethylene), MDPE (Medium Density Polyethylene), LDPE (Low Density Polyethylene). It is recommended to test an area in advance.

Features & Benefits

- **Fast easy application**
- **Versatile**
- **Supplied in Robust 500ml Metal canister**



Technical Data

Solvent:	MEK (Methyl Ethyl Ketone)	Colour:	Colourless
Suitable substrates:	uPVC & ABS	Smell:	Sharp, sweet odour
Specific gravity:	0.8 g/ml		

Storage & Shelf Life

Protect from extremes of temperature in a controlled environment between 5 and 30°C, and away from direct sunlight.

Stored under the correct conditions, in original, unopened containers, the product will have a shelf life of 12 months.

Stir or shake before use.

DO NOT ALLOW THE PRODUCT TO FREEZE

Health & Safety

Users should familiarise themselves with the safety data sheet before using or handling this product.

Regulatory

Every precaution has been taken in the design of this adhesive to ensure it safe for the consumer.

The data contained in this Technical Data Sheet is provided for information only and is believed to be reliable. ECT Ltd cannot assume responsibility for results obtained by others over whose methods we have no control. It is strictly the users responsibility to determine the suitability of this product for the users purpose. ECT Ltd specifically disclaim all warranties expressed or implied including warranties of merchantability of fitness for a particular purpose arising from the sale or use of our products. ECT Ltd specifically disclaim any liability for consequential or incidental damages of any kind or whatsoever nature. We strongly recommend that each prospective user of this product test the proposed application before repetitive use, using the above information as a guide. Please contact our Technical Department for further guidance. This assistance is freely available to all customers. No employee of ECT Ltd has the authority to waive, change or in any way alter the above provisions.