

Don't compromise on quality...we don't!



### **UPHOLSTERY**

TUSKBOND THE ONLY UK PRODUCED AND UK FILLED SYSTEM ON THE MARKET





Don't compromise on quality...we don't!

**Tuskbond Adhesive Products Shelley Close Lowmoor Business Park** Kirkby in Ashfield **Nottinghamshire NG17 7JZ** 

Tuskbond offer a complete range of high performance upholstery canister adhesives and accessories for professional use, available in a range of sizes and colours. All our Tuskbond upholstery adhesives are pressurised, delivered through a gun and hose system which means Tuskbond is fast, accurate, and portable, ready for use in a range of applications.











TUSKBOND
1HH550

- HIGH TEMPERATURE CONTACT ADHESIVE
- FAST, STRONG,
  PERMANENT BOND
- FAST DRYING
- EXCELLENT HEAT RESISTANCE

TUSKBOND HH550 is a high heat multipurpose sprayable contact adhesive with heat resistance of up to 105°C. Developed to bond a wide variety of substrates including headlinings, foam, leather, lining carpet, felt and fabrics. HH550 has a long open time and provides a fast, strong and permanent waterproof bond with excellent heat resistance. Amongst various suitable applications, HH550 is ideal for van conversions, marine upholstery and vehicle restoration.

For technical data or further information please visit





USKBOND

HS350

EXTREMELY TACKY
COMPLETELY NON
CHLORINATED
SYSTEM
HIGH SOLIDS
FORMULATION
FAST DRYING

Tuskbond HS350 premium upholstery adhesive is an extremely tacky, high solids, spray adhesive. HS350 is completely free from all chlorinated solvents and is designed to provide fast, accurate and ergonomic application when using a gun and hose system. HS350 is developed for bonding a variety of substrates including foam, insulation, fibrous materials, leather, lining carpet, felt and fabrics.



For technical data or further information please visit



TUSKBOND HT150 multipurpose upholstery adhesive is quick, clean and convenient. HT150 dries to leave a high tack film, suitable for bonding most fibrous materials, fabrics, insulation and polythene foam to a variety of substrates. Ideal for small scale assembly and laminating of polyurethane foam. HT150 is completely free from all chlorinated solvents.

For technical data or further information please visit





# TUSKBOND

- BS476 PART 7 CLASS 1 APPROVED
- HIGH STRENGTHBOND ACHIEVEDIN MINUTES
- FAST, ACCURATE,
  AND PORTABLE
  QUALITY
  GUARANTEED

## TUSKBOND INC101

- Dichloromethane free
- Excellent heat resistance
- High strength spray contact adhesive
- Bonds a wide variety of substrates





## TUSKBOND PROFESSIONAL ACCESSORIES

#### TUSKBOND PREMIUM SPRAY GUN

- STRONG ALUMINIUM ALLOY BODY
- INCLUDES 9501 SPRAY TIP
- ACCOMMODATES ALL
   INTERCHANGEABLE TEEJET SPRAY TIPS





#### **TUSKBOND** ECONOMY SPRAY GUN

DURABLE LIGHT WEIGHT
CONSTRUCTION
INCLUDES 9501 SPRAY TIP
ACCOMMODATES ALL
INTERCHANGEABLE TEEJET SPRAY TIPS

## TUSKBOND SPRAY GUN WITH EXTENSION WAND

ACCURATE AND
ERGONOMIC APPLICATION
47CM WAND EXTENSION
INCLUDES 9501 SPRAY TIP



#### TUSKBOND HOSE 12FT, 18FT & 24FT



FLEXIBLE HOSE MINIMISING
INTERFERENCE AND TANGLING
LIGHTWEIGHT DURABLE NYLON
CORE WITH SYNTHETIC
RUBBER COATING
FITS EASILY AND SECURELY TO ANY
TUSKBOND CANISTER AND
APPLICATOR GUN



Tuskbond Adhesive Products
Shelley Close
Lowmoor Business Park
Kirkby in Ashfield
Nottinghamshire
NG17 7JZ